ELSEVIER

Journal of Crystal Growth 173 (1997) 599–604

JOURNAL OF CRYSTAL GROWTH

Author index

Abe, S., K. Masumoto and K. Suto, Growth and characterization of $Pb_{1-x}(Ca_{1-y}Sr_y)_xS$ thin films prepared by hot wall epitaxy 173 (1997) 104
Akai, S., see Hashio, K. 173 (1997) 33
Akazawa, H., Evaluation of thin Si films grown on Ge (1 0 0) by synchrotron-radiation-excited atomic layer epitaxy and chemical vapor deposition from Si_2H_6 173 (1997) 343
Akimoto, K., see Cho, S.H. 173 (1997) 260
Aoyagi, Y., see Lee J.-S. 173 (1997) 27
Arora, B.M., see Gadkari, D.B. 173 (1997) 585
Asahi, H., see Yamamoto, K. 173 (1997) 21
Astier, J.P., see Lafont, S. 173 (1997) 132
Ataka, M., E. Katoh and N.I. Wakayama, Magnetic orientation as a tool to study the initial stage of crystallization of lysozyme 173 (1997) 592
Au, Wing kei, M.J. Kappers and R.F. Hicks, Evaluation of a zero-discharge reactor for the chemical vapor deposition of mercury telluride 173 (1997) 386
Avrutin, E.A., see Elyukhin, V.A. 173 (1997) 69

Bachem, K.H., see Davidson, B.R. 173 (1997) 235
Beaumont, B., see Vennegues, P. 173 (1997) 249
Bennema, P., see Strom, C.S. 173 (1997) 150
Bennema, P., see Strom, C.S. 173 (1997) 159
Bergmann, R.B., see Kühnle, J. 173 (1997) 62
Boistelle, R., see Lafont, S. 173 (1997) 132
Boulon, G., see Ferriol, M. 173 (1997) 226
Brenier, A., see Ferriol, M. 173 (1997) 226
Briceño-Valero, J.M., see García, V.J. 173 (1997) 222
Bushnell, L.T., see LaCombe, J.C. 173 (1997) 167

Cao, Xian-an, see Chen, Xi-ying 173 (1997) 51
Carvalho, J.F., A.C. Hernandes, F.D. Nunes, L.B.O.A. de Moraes, L. Misoguti and S.C. Zilio, LAP single crystal growth free of microorganisms by an accurately controlled solvent evaporation technique 173 (1997) 487
Catalina, A., see Sen, S. 173 (1997) 574
Chait, A., see Yao, M. 173 (1997) 467
Chani, V.I., K. Shimamura, S. Endo and T. Fukuda, Substitution of Ti^{4+} with Nb^{5+}–M^{3+} (M = Al, Cr, Ga, Fe, In) in crystals of $KTiOAsO_4$ 173 (1997) 117
Chen, Liang-yao, see Chen, Xi-ying 173 (1997) 51
Chen, N., H. He, Y. Wang and L. Lin, Stoichiometric defects in semi-insulating GaAs 173 (1997) 325
Chen, T.-C., H.-C. Wu and C.-I. Weng, The effect of interface shape on anisotropic thermal stress of bulk single crystal during Czochralski growth 173 (1997) 367
Chen, Xi-ying, Xiao-yuan Hou, Xian-an Cao, Xun-min Ding, Liang-yao-yao Chen, Guo-qing Zhao and Xun Wang, Gallium sulfide thin film grown on GaAs(1 0 0) by microwave glow discharge 173 (1997) 51
Cheng, T.S., see Novikov, S.V. 173 (1997) 1
Cheng, W.-C. and P. Wynblatt, Equilibrium form of Pb–Bi–Ni alloy crystals 173 (1997) 513
Chernushich, A.P., see Kuznetsov, P.I. 173 (1997) 57
Chew-Walter, A., see Hase, A. 173 (1997) 14
Cho, S.H., K. Hata, T. Maruyama and K. Akimoto, Optical and structural properties of GaN films grown on c-plane Al_2O_3 by electron cyclotron resonance molecular beam epitaxy 173 (1997) 260
Choi, I.-H., see Kuroda, K. 173 (1997) 73
Chong, T.-C., see Xu, X.-W. 173 (1997) 194
Cockayne, B., M.J. Crosbie, N.A. Smith and I.R. Harris, Precipitate identification in Ti-doped $YAlO_3$ single crystals 173 (1997) 456
Cohen-Adad, M.T., see Ferriol, M. 173 (1997) 226
Cook, J., see Sloan, J. 173 (1997) 81
Cooley, W.T., see Kaspi, R. 173 (1997) 5
Coriell, S.R., see Sekerka, R.F. 173 (1997) 597
Crosbie, M.J., see Cockayne, B. 173 (1997) 456
Cui, F.Z., see Ma, C.L. 173 (1997) 141
Curreri, P.A., see Sen, S. 173 (1997) 574

Davidson, B.R., R.C. Newman, T. Kaneko, O. Naji and K.H. Bachem, Erratum to "The rotation of the alignment by 90° of $(H–(C_{As})_2)$ complexes resulting from metal-organic molecular beam epitaxy or metal-organic vapor phase epitaxy growth on GaAs(0 0 1) using trimethylgallium". [J. Crystal Growth 164 (1996) 396] 173 (1997) 235

De Carvalho, M.M.G., see de Oliveira, C.E.M. 173 (1997) 214
De Groh III, H.C., see Yeoh, G.H. 173 (1997) 492
De Moraes, L.B.O.A., see Carvalho, J.F. 173 (1997) 487
De Oliveira, C.E.M., M.M.G. de Carvalho and C.R. Miskys, Growth of InP by LEC using glassy carbon crucibles 173 (1997) 214
De Vahl Davis, G., see Yeoh, G.H. 173 (1997) 492
Debnam, W.J., see Yao, M. 173 (1997) 467
Dhindaw, B.K., see Sen, S. 173 (1997) 574
Diéguez, E., see Marín, C. 173 (1997) 271
Ding, Xun-min, see Chen, Xi-ying 173 (1997) 51
Dou, S.X., see Wang, X.L. 173 (1997) 380
Drigo, A.V., see Leo, G. 173 (1997) 277
Duffar, T., see Marín, C. 173 (1997) 271
Dusserre, P., see Marín, C. 173 (1997) 271
Dutta, P.S., see Marín, C. 173 (1997) 271

Eckler, K., A.F. Norman, F. Gärtner, A.L. Greer and D.M. Herlach, Microstructures of dilute Ni–C alloys obtained from undercooled droplets 173 (1997) 528
Elyukhin, V.A., E.L. Portnoi, E.A. Avrutin and J.H. Marsh, Miscibility gap of ternary alloys of binary compounds with zinc-blende and wurtzite structures using the cluster variation method 173 (1997) 69
Endo, S., see Chani, V.I. 173 (1997) 117
Evans, K.R., see Kaspi, R. 173 (1997) 5

Fabietti, L.M. and R. Trivedi, In situ observations of stress-induced defect formation at the solid–liquid interface 173 (1997) 503
Férauge, C., see Volkov, V.V. 173 (1997) 285
Fernandez, J.M., see Xie, M.-H. 173 (1997) 336
Ferriol, M., G. Foulon, A. Brenier, M.T. Cohen-Adad and G. Boulon, Laser heated pedestal growth of pure and Nd^{3+}-doped potassium lithium niobate single-crystal fibers 173 (1997) 226
Flynn, D., see Sun, Z. 173 (1997) 402
Foulon, G., see Ferriol, M. 173 (1997) 226
Foxon, C.T., see Novikov, S.V. 173 (1997) 1
Frazier, D.O., R.J. Hung, M.S. Paley and Y.T. Long, Effects of convection during the photodeposition of polydiacetylene thin films 173 (1997) 172
Fripp, A.L., see Yao, M. 173 (1997) 467
Fujita, K., see Hashio, K. 173 (1997) 33
Fukuda, T., see Chani, V.I. 173 (1997) 117

Gadkari, D.B., K.B. Lal, A.P. Shah and B.M. Arora, Growth of high mobility InSb crystals 173 (1997) 585
Gao, C., see Li, S. 173 (1997) 321
García, V.J., J.M. Briceño-Valero, L. Martínez, A. Mora, S.A. Lopez-Rivera and W. Giriat, Solid solutions in the dilute magnetic semiconductor $Mn_xZn_{1-x}S$ 173 (1997) 222
Gärtner, F., see Eckler, K. 173 (1997) 528
Ge, C.Z., see Hu, X.B. 173 (1997) 460
Gibart, P., see Vennegues, P. 173 (1997) 249
Gijbels, R., see Volkov, V.V. 173 (1997) 285
Giriat, W., see García, V.J. 173 (1997) 222
Glicksman, M.E., see LaCombe, J.C. 173 (1997) 167
Gonda, S., see Yamamoto, K. 173 (1997) 21
Gonda, T. and S. Nakahara, Dendritic ice crystals with faceted tip growing from the vapor phase 173 (1997) 189
Green, M.L.H., see Sloan, J. 173 (1997) 81
Greer, A.L., see Eckler, K. 173 (1997) 528

Harada, T. and H. Ohkoshi, Influence of MgO(1 0 0) substrate surfaces on epitaxial growth of Ti films 173 (1997) 109
Harris, I.R., see Cockayne, B. 173 (1997) 456
Harrison, I., see Novikov, S.V. 173 (1997) 1
Hase, A., A. Chew-Walter and H. Künzel, Barrier composition dependence of the emission properties of AlGaInAs/GaInAs quantum wells grown by molecular beam epitaxy 173 (1997) 14
Hasegawa, M., see Tanaka, M. 173 (1997) 440
Hashio, K., S. Sawada, M. Tatsumi, K. Fujita and S. Akai, Low dislocation density Si-doped GaAs single crystal grown by the vapor-pressure-controlled Czochralski method 173 (1997) 33
Hata, K., see Cho, S.H. 173 (1997) 260
He, H., see Chen, N. 173 (1997) 325
Heesom, J.R., see Sloan, J. 173 (1997) 81
Herden, A. and R. Lacmann, The crystallization of potassium nitrate. I. Etch pit density and microhardness of potassium nitrate in comparison with some other ionic crystals 173 (1997) 481
Herlach, D.M., see Eckler, K. 173 (1997) 528
Hernandes, A.C., see Carvalho, J.F. 173 (1997) 487
Hicks, R.F., see Au, Wing kei 173 (1997) 386
Hong Ouyang and Wei Shyy, Numerical simulation of CdTe vertical Bridgman growth 173 (1997) 352
Horvat, J., see Wang, X.L. 173 (1997) 380
Hou, Xiao-yuan, see Chen, Xi-ying 173 (1997) 51
Hu, X.B., S.S. Jiang, X.R. Huang, W.J. Liu, C.Z. Ge, J.Y. Wang, H.F. Pan, J.H. Jiang and Z.G. Wang, The growth defects in self-frequency-doubling laser crystal $Nd_xY_{1-x}Al_3(BO_3)_4$ 173 (1997) 460
Huang, X.R., see Hu, X.B. 173 (1997) 460
Hung, R.J., see Frazier, D.O. 173 (1997) 172
Hutchison, J.L., see Sloan, J. 173 (1997) 81

Igarashi, O., Correlation of reflection electron diffraction patterns, Raman spectra and compositions in "$CuInSe_2$" films 173 (1997) 97

Ikekame, H., Y. Yanase, T. Ishibashi, T. Saito, Y. Morishita and K. Sato, Effects of atomic-hydrogen assistance on hot-wall epitaxy growth of MnSb/GaAs heterostructures 173 (1997) 218
Ishibashi, T., see Ikekame, H. 173 (1997) 218
Isshiki, H., see Lee, J.-S. 173 (1997) 27
Ito, H. and T. Kobayashi, Influence of lattice mismatch on the crystalline quality of metastable GaAsSb grown by metalorganic chemical vapor deposition 173 (1997) 210
Ito, H. and H. Yokoyama, Carbon doping in InAlAs grown by metalorganic chemical vapor deposition 173 (1997) 315

Jagadish, C., see Li, G. 173 (1997) 302
Jiang, J.H., see Hu, X.B. 173 (1997) 460
Jiang, S.S., see Hu, X.B. 173 (1997) 460
Jin, Y., see Li, S. 173 (1997) 321
Jin, Z., see Li, S. 173 (1997) 321
Jitov, V.A., see Kuznetsov, P.I. 173 (1997) 57
Joyce, B.A., see Xie, M.-H. 173 (1997) 336

Kaneko, T., see Davidson, B.R. 173 (1997) 235
Kappers, M.J., see Au, Wing kei 173 (1997) 386
Karpov, S.Yu., Yu.N. Makarov, E.N. Mokhov, M.G. Ramm, M.S. Ramm, A.D. Roenkov, R.A. Talalaev and Yu.A. Vodakov, Analysis of silicon carbide growth by sublimation sandwich method 173 (1997) 408
Kaspi, R., W.T. Cooley and K.R. Evans, In situ composition control of III-$As_{1-x}Sb_x$ alloys during molecular beam epitaxy using line-of-sight mass spectrometry 173 (1997) 5
Kasu, M., T. Makimoto and N. Kobayashi, Nanometer-scale selective-area GaAs growth on nitrogen-passivated surfaces using STM and MOMBE 173 (1997) 589
Kato, T., H. Ohsato, T. Okuda, P. Kung, A. Saxler, C.-J. Sun and M. Razeghi, Simultaneous growth of two different oriented GaN epilayers on (1 1 · 0) sapphire. I. Morphology and orientation 173 (1997) 244
Katoh, E., see Ataka, M. 173 (1997) 592
Kavanagh, K.L., M.C. Reuter and R.M. Tromp, High-temperature epitaxy of PtSi/Si(0 0 1) 173 (1997) 393
Khoo, B.C., see Xu, D. 173 (1997) 123
Kim, D.H., see Wang, J.H. 173 (1997) 201
Kim, J.H., J.W. Park, C.H. Lee and E.P. Yoon, Numerical modeling of microsegregation in binary alloys 173 (1997) 550
Kimura, M., see Tanaka, A. 173 (1997) 297
Kobayashi, N., see Kasu, M. 173 (1997) 589
Kobayashi, T., see Ito, H. 173 (1997) 210
Komatsu, H., see Sazaki, G. 173 (1997) 231
Koshizuka, N., see Kuroda, K. 173 (1997) 73
Koss, M.B., see LaCombe, J.C. 173 (1997) 167
Kühnle, J., R.B. Bergmann and J.H. Werner, Role of critical size of nuclei for liquid-phase epitaxy on polycrystalline Si films 173 (1997) 62
Kung, P., see Kato, T. 173 (1997) 244
Künzel, H., see Hase, A. 173 (1997) 14
Kurlov, V.N. and S.N. Rossolenko, Growth of shaped sapphire crystals using automated weight control 173 (1997) 417
Kuroda, K., I.-H. Choi, H. Unoki and N. Koshizuka, $NdBa_2Cu_3O_{7-\delta}$ single crystal growth by the traveling-solvent floating-zone method 173 (1997) 73
Kusunoki, T., see Nakajima, K. 173 (1997) 42
Kuznetsov, P.I., G.G. Yakushcheva, V.A. Jitov, L.Yu. Zakharov and A.P. Chernushich, Photo-MOVPE growth and characterization of $ZnSe/Zn_xCd_{1-x}Se$ heterostructures 173 (1997) 57

Lacmann, R., see Herden, A. 173 (1997) 481
LaCombe, J.C., J.L. Oudemool, M.B. Koss, L.T. Bushnell and M.E. Glicksman, Measurement of thermal expansion in liquid succinonitrile and pivalic acid 173 (1997) 167
Lafont, S., S. Veesler, J.P. Astier and R. Boistelle, Comparison of solubilities and molecular interactions of BPTI molecules giving different polymorphs 173 (1997) 132
Lal, K.B., see Gadkari, D.B. 173 (1997) 585
Lan, C.W. and C.H. Tsai, Modeling of ellipsoid mirror furnace for floating-zone crystal growth 173 (1997) 561
Lazzarini, L., see Leo, G. 173 (1997) 277
Lee, C.H., see Kim, J.H. 173 (1997) 550
Lee, J.-S., H. Isshiki, T. Sugano and Y. Aoyagi, Multiatomic step formation with excellent uniformity on vicinal (1 1 1)A GaAs surfaces by metalorganic vapor-phase epitaxy 173 (1997) 27
Lees, A.K., see Xie, M.-H. 173 (1997) 336
Lehoczky, S.L., see Sha, Y.-G. 173 (1997) 88
Leo, G., L. Lazzarini, N. Lovergine, F. Romanato and A.V. Drigo, Structural characterization and surface lattice strain determination of ZnS/GaAs heterostructures grown by metalorganic vapour phase epitaxy 173 (1997) 277
Leonardi, E., see Yeoh, G.H. 173 (1997) 492
Li, G., M. Petravić and C. Jagadish, Electrical activation of carbon δ-doped (Al,Ga)As grown by metalorganic vapour-phase epitaxy 173 (1997) 302
Li, S., Y. Jin, C. Gao and Z. Jin, Isotropic growth islands of $Ga_{0.16}In_{0.84}As_{0.80}Sb_{0.20}$ epilayer grown by metalorganic chemical vapour deposition 173 (1997) 321
Liao, J.-Y., see Xu, X.-W. 173 (1997) 194
Lin, L., see Chen, N. 173 (1997) 325
Liu, H.K., see Wang, X.L. 173 (1997) 380

Liu, W.J., see Hu, X.B. 173 (1997) 460
Long, Y.T., see Frazier, D.O. 173 (1997) 172
Lopez-Rivera, S.A., see García, V.J. 173 (1997) 222
Lovergine, N., see Leo, G. 173 (1997) 277
Lu, H.B., see Ma, C.L. 173 (1997) 141

Ma, C.L., H.B. Lu, R.Z. Wang, L.F. Zhou, F.Z. Cui and F. Qian, Comparison of controlled crystallization of calcium phosphates under three kinds of monolayers 173 (1997) 141
Mahmood, Z., see Novikov, S.V. 173 (1997) 1
Makarov, Yu.N., see Karpov, S.Yu. 173 (1997) 408
Makimoto, T., see Kasu, M. 173 (1997) 589
Marín, C., P.S. Dutta, E. Diéguez, P. Dusserre and T. Duffar, On the adhesion of $In_{0.2}Ga_{0.8}Sb$ to quartz ampoule during synthesis 173 (1997) 271
Marsh, J.H., see Elyukhin, V.A. 173 (1997) 69
Martínez, L., see García, V.J. 173 (1997) 222
Marushkin, K.M., see Volkov, V.V. 173 (1997) 285
Maruyama, T., see Cho, S.H. 173 (1997) 260
Masumoto, K., see Abe, S. 173 (1997) 104
McFadden, G.B., see Sekerka, R.F. 173 (1997) 597
Miki, K., see Yamamoto, K. 173 (1997) 21
Miskys, C.R., see de Oliveira, C.E.M. 173 (1997) 214
Misoguti, L., see Carvalho, J.F. 173 (1997) 487
Miyashita, S., see Sazaki, G. 173 (1997) 231
Mokhov, E.N., see Karpov, S.Yu. 173 (1997) 408
Mora, A., see García, V.J. 173 (1997) 222
Morishita, Y., see Ikekame, H. 173 (1997) 218

Naji, O., see Davidson, B.R. 173 (1997) 235
Nakada, T., see Sazaki, G. 173 (1997) 231
Nakahara, S., see Gonda, T. 173 (1997) 189
Nakajima, K., T. Kusunoki and K. Otsubo, Bridgman growth of compositionally graded $In_xGa_{1-x}As$ ($x = 0.05$–0.30) single crystals for use as seeds for $In_{0.25}Ga_{0.75}As$ crystal growth 173 (1997) 42
Newman, R.C., see Davidson, B.R. 173 (1997) 235
Nishijima, Y., see Nishino, H. 173 (1997) 330
Nishino, H. and Y. Nishijima, Influence of step motion on hillock formation in CdTe(1 0 0) grown on GaAs(1 0 0) by metalorganic vapor phase epitaxy 173 (1997) 330
Noda, S., see Tokuda, T. 173 (1997) 237
Norman, A.F., see Eckler, K. 173 (1997) 528
Novikov, S.V., T.S. Cheng, Z. Mahmood, I. Harrison and C.T. Foxon, Selective meltback etching of GaN layers in liquid-phase electroepitaxial technique 173 (1997) 1
Nunes, F.D., see Carvalho, J.F. 173 (1997) 487

Ohkoshi, H., see Harada, T. 173 (1997) 109
Ohsato, H., see Kato, T. 173 (1997) 244
Okuda, T., see Kato, T. 173 (1997) 244
Otsubo, K., see Nakajima, K. 173 (1997) 42
Oudemool, J.L., see LaCombe, J.C. 173 (1997) 167

Paley, M.S., see Frazier, D.O. 173 (1997) 172
Palosz, W., Removal of oxygen from electronic materials by vapor-phase processes 173 (1997) 427
Pan, H.F., see Hu, X.B. 173 (1997) 460
Park, J.W., see Kim, J.H. 173 (1997) 550
Passenberg, W. and W. Schlaak, Suface preparation for molecular beam epitaxy-regrowth on metalorganic vapour phase epitaxy grown InP and InGaAsP layers 173 (1997) 266
Petravić, M., see Li, G. 173 (1997) 302
Pompe, O., see Rettenmayr, M. 173 (1997) 182
Portnoi, E.L., see Elyukhin, V.A. 173 (1997) 69

Qian, F., see Ma, C.L. 173 (1997) 141

Ramm, M.G., see Karpov, S.Yu. 173 (1997) 408
Ramm, M.S., see Karpov, S.Yu. 173 (1997) 408
Razeghi, M., see Kato, T. 173 (1997) 244
Rettenmayr, M. and O. Pompe, Interface instabilities on solidifying globulitic particles 173 (1997) 182
Reuter, M.C., see Kavanagh, K.L. 173 (1997) 393
Robinson, B.J., see Wang, J. 173 (1997) 307
Roenkov, A.D., see Karpov, S.Yu. 173 (1997) 408
Romanato, F., see Leo, G. 173 (1997) 277
Rossolenko, S.N., see Kurlov, V.N. 173 (1997) 417

Saito, T., see Ikekame, H. 173 (1997) 218
Sasaki, A., see Tokuda, T. 173 (1997) 237
Sato, K., see Ikekame, H. 173 (1997) 218
Sawada, S., see Hashio, K. 173 (1997) 33
Saxler, A., see Kato, T. 173 (1997) 244
Sazaki, G., E. Yoshida, H. Komatsu, T. Nakada, S. Miyashita and K. Watanabe, Effects of a magnetic field on the nucleation and growth of protein crystals 173 (1997) 231
Schlaak, W., see Passenberg, W. 173 (1997) 266
Sekerka, R.F., S.R. Coriell and G.B. McFadden, Erratum to "Stagnant film model of the effect of natural convection on the dendrite operating state". [J. Crystal Growth 154 (1995) 370] 173 (1997) 597
Sen, S., B.K. Dhindaw, D.M. Stefanescu, A. Catalina and P.A. Curreri, Melt convection effects on the critical velocity of particle engulfment 173 (1997) 574
Sha, Y.-G., C.-H. Su and S.L. Lehoczky, Growth of HgZnTe by directional solidification in a magnetic field 173 (1997) 88
Shah, A.P., see Gadkari, D.B. 173 (1997) 585
Shelyakin, A.A., see Volkov, V.V. 173 (1997) 285
Shi, X., see Sun, Z. 173 (1997) 402
Shimamura, K., see Chani, V.I. 173 (1997) 117
Shu, C., see Xu, D. 173 (1997) 123
Simmons, J.G., see Wang, J. 173 (1997) 307

Sloan, J., J. Cook, J.R. Heesom, M.L.H. Green and J.L. Hutchison, The encapsulation and in situ rearrangement of polycrystalline SnO inside carbon nanotubes 173 (1997) 81
Smith, N.A., see Cockayne, B. 173 (1997) 456
Sokolovsky, A.A., see Volkov, V.V. 173 (1997) 285
Stefanescu, D.M., see Sen, S. 173 (1997) 574
Strom, C.S. and P. Bennema, Combinatorial compatibility as habit-controlling factor in lysozyme crystallization. I. Monomeric and tetrameric F faces derived graph-theoretically 173 (1997) 150
Strom, C.S. and P. Bennema, Combinatorial compatibility as habit-controlling factor in lysozyme crystallization. II. Morphological evidence for tetrameric growth units 173 (1997) 159
Su, C.-H., see Sha, Y.-G. 173 (1997) 88
Sugano, T., see Lee, J.-S. 173 (1997) 27
Sukegawa, T., see Tanaka, A. 173 (1997) 297
Sun, C.-J., see Kato, T. 173 (1997) 244
Sun, Y., see Sun, Z. 173 (1997) 402
Sun, Z., X. Shi, B.K. Tay, D. Flynn, X. Wang, Z. Zheng and Y. Sun, Morphological features of diamond films grown on diamond-like carbon films synthesized from polymer by chemical vapor deposition 173 (1997) 402
Suto, K., see Abe, S. 173 (1997) 104

Takei, H., see Tanaka, M. 173 (1997) 440
Talalaev, R.A., see Karpov, S.Yu. 173 (1997) 408
Tanaka, A., A. Watanabe, M. Kimura and T. Sukegawa, GaSb crystals pulled from non-stoichiometric solution at constant temperature 173 (1997) 297
Tanaka, M., M. Hasegawa and H. Takei, Crystal growth of $PdCoO_2$, $PtCoO_2$ and their solid–solution with delafossite structure 173 (1997) 440
Tatsumi, M., see Hashio, K. 173 (1997) 33
Tay, B.K., see Sun, Z. 173 (1997) 402
Thompson, D.A., see Wang, J. 173 (1997) 307
Tokuda, T., A. Wakahara, S. Noda and A. Sasaki, Plasma-excited organometallic vapor phase epitaxy of GaN on (0 0 0 1)sapphire 173 (1997) 237
Trivedi, R., see Fabietti, L.M. 173 (1997) 503
Tromp, R.M., see Kavanagh, K.L. 173 (1997) 393
Tsai, C.H., see Lan, C.W. 173 (1997) 561

Unoki, H., see Kuroda, K. 173 (1997) 73

Vaille, M., see Vennegues, P. 173 (1997) 249
Van Landuyt, J., see Volkov, V.V. 173 (1997) 285
Vasilyev, M.G., see Volkov, V.V. 173 (1997) 285
Veesler, S., see Lafont, S. 173 (1997) 132
Vennegues, P., B. Beaumont, M. Vaille and P. Gibart, Microstructure of GaN epitaxial films at different stages of the growth process on sapphire (0 0 0 1) 173 (1997) 249
Vivès, C., Crystallization of aluminum alloys in the presence of vertical electromagnetic force fields 173 (1997) 541
Vodakov, Yu.A., see Karpov, S.Yu. 173 (1997) 408
Volkov, V.V., J. Van Landuyt, K.M. Marushkin, R. Gijbels, C. Férauge, M.G. Vasilyev, A.A. Shelyakin and A.A. Sokolovsky, Characterisation of the LPE grown InGaAsP/InP hetero-structures: IR-LED at 1.66 μm used for the remote monitoring of methane gas 173 (1997) 285

Wakahara, A., see Tokuda, T. 173 (1997) 237
Wakayama, N.I., see Ataka, M. 173 (1997) 592
Wang, J., B.J. Robinson, D.A. Thompson and J.G. Simmons, The morphology of InP/InGaAs grown by molecular beam epitaxy onto V-grooved InP substrates 173 (1997) 307
Wang, J.H. and D.H. Kim, Numerical analysis of melt/solid interface shape in zone melting recrystallization process 173 (1997) 201
Wang, J.Y., see Hu, X.B. 173 (1997) 460
Wang, R.Z., see Ma, C.L. 173 (1997) 141
Wang, Xun, see Chen, Xi-ying 173 (1997) 51
Wang, X., see Sun, Z. 173 (1997) 402
Wang, X.L., J. Horvat, H.K. Liu and S.X. Dou, Spiral growth of $Bi_2Sr_2CaCu_2O_y$ single crystals using KCl flux technique 173 (1997) 380
Wang, Y., see Chen, N. 173 (1997) 325
Wang, Z.G., see Hu, X.B. 173 (1997) 460
Watanabe, A., see Tanaka, A. 173 (1997) 297
Watanabe, K., see Sazaki, G. 173 (1997) 231
Wei Shyy, see Hong Ouyang 173 (1997) 352
Weng, C.-I., see Chen, T.-C. 173 (1997) 367
Werner, J.H., see Kühnle, J. 173 (1997) 62
Wu, H.-C., see Chen, T.-C. 173 (1997) 367
Wynblatt, P., see Cheng, W.-C. 173 (1997) 513

Xie, M.-H., A.K. Lees, J.M. Fernandez, J. Zhang and B.A. Joyce, Arsenic surface segregation and incorporation in Si and $Si_{1-x}Ge_x$ during gas source molecular beam epitaxy 173 (1997) 336
Xu, D., C. Shu and B.C. Khoo, Numerical simulation of flows in Czochralski crystal growth by second-order upwind QUICK scheme 173 (1997) 123
Xu, X.-W., T.-C. Chong and J.-Y. Liao, Influence of crystallographic polarity on the optical properties of $Bi_{12}SiO_{20}$ crystals 173 (1997) 194

Yakushcheva, G.G., see Kuznetsov, P.I. 173 (1997) 57
Yamamoto, K., H. Asahi, K. Miki and S. Gonda, Etching of GaSb with trisdimethylaminoantimony and triisopropylantimony in a metalorganic molecular beam epitaxy chamber 173 (1997) 21

Yanase, Y., see Ikekame, H. 173 (1997) 218
Yao, M., A. Chait, A.L. Fripp and W.J. Debnam, Magnetically damped convection and segregation in Bridgman growth of PbSnTe 173 (1997) 467
Yao, M., see Yeoh, G.H. 173 (1997) 492
Yeoh, G.H., G. de Vahl Davis, E. Leonardi, H.C. de Groh III and M. Yao, A numerical and experimental study of natural convection and interface shape in crystal growth 173 (1997) 492
Yokoyama, H., see Ito, H. 173 (1997) 315
Yoon, E.P., see Kim, J.H. 173 (1997) 550
Yoshida, E., see Sazaki, G. 173 (1997) 231
Zakharov, L.Yu., see Kuznetsov, P.I. 173 (1997) 57
Zeng, H.C., Growth kinetic study of potassium niobate single crystal: a new method for high time-resolution kinetic data of ABO_3-type materials 173 (1997) 446
Zhang, J., see Xie, M.-H. 173 (1997) 336
Zhao, Guo-qing, see Chen, Xi-ying 173 (1997) 51
Zheng, Z., see Sun, Z. 173 (1997) 402
Zhou, L.F., see Ma, C.L. 173 (1997) 141
Zilio, S.C., see Carvalho, J.F. 173 (1997) 487

ELSEVIER

Journal of Crystal Growth 173 (1997) 605–606

JOURNAL OF CRYSTAL GROWTH

Subject index

Apparatus
– for scanning tunneling microscopy in situ metalorganic molecular beam epitaxy 589

Cellular growth
– of naphthalene 503
Computer simulation
– of Czochralski growth 123
– of horizontal Bridgman growth 492
– of interface shape 367
– of lead tin telluride growth 467
– of micro segregation in binary alloys 550
– of temperature field 561
Constitutional supercooling
– of indium gallium arsenide melt 42
Convection 172, 352, 492

Dendritic growth
– of ice crystals 189
Device characterization
– heterojunction 277, 285
– lasers 285
– second harmonic generation 117
Defects
– in potassium aluminum sulphate 481
– stoichiometry in gallium arsenide 325
Doping of
– carbon in aluminum indium arsenide 315
– delta layer carbon in aluminum gallium arsenide 303
– silicon in bulk gallium arsenide 33
Diffusional control
– of indium aluminum arsenide melt 42
Dissolution
– of manganese sulphate in zinc sulphate 222

Epitaxy, see Thin film growth
Etching
– chemical 21, 194, 460, 481
– melt 1
Eutectic growth
– of aluminum alloys 541

Growth simulation
– particle engulfment 574

Germanium
– silicon 336

Heat flow control
– of ellipsoid mirror furnace 561
Heterojunction, see Device characterization
Hydrodynamics, see Convection

Kinetics
– of defects formation 503
– of growth 182, 194, 237, 336, 386, 446, 503
– of nucleation 62, 141, 321

Lasers, see Device characterization
Lasers, crystals for
– neodymium doped potassium lithium niobate 226
Lysozyme 150, 159, 592

Melt growth technique
– by Bridgman–Stockbarger method
–– of bismuth silicon oxide 194
–– of indium gallium antimonide 271
–– of indium gallium arsenide 42
–– of lead tin telluride 467
–– of succionitrile 492
–– theory of heat flow in cadmium telluride growth 352
– by Czochralski method
–– of gallium antimonide 297
–– of gallium arsenide 33, 325
–– of yttrium aluminate 456
–– theory
––– of growth 123
––– of interface shape 367
– by equilibrium of solidification droplets
–– of lead bismuth nickel alloys 513
– by floating zone method
–– of neodymium barium copper oxide 73
– by flux
–– of BSCCO 380
–– of neodymium yttrium aluminum borate 460
– by liquid encapsulated Chochralski
–– of indium phosphide 214
– by magnetic field
–– of eutectic aluminum alloys 541

– by uniaxial solidification
–– of mercury zinc telluride in magnetic field 88
–– of potassium niobate 446
– by vertical directional solidification
–– of indium antimonide 585
Microgravity, growth under
– of polydiacethylene thin films 172
Morphological stability
– of diamond 402
– of gallium nitride 244
– of glubulitic particles 182
– of ice 189
– of lead silicon 393
– of nickel carbon primary dendrites 528

Nucleation
– of calcium phosphate 141
– of lysozyme 592
– of protein crystals 231
– of tin oxide in carbon nanotubes 81
Numbers
– Grashof 123, 352
– Peclet 123
– Rayleigh 201, 352

Solution growth technique
– by low temperature method
–– of gallium antimonide 297
Statistical mechanics, molecular theory
– of miscibility gap of ternary alloys 69
Stefan problem or moving boundary problem
– of solid liquid interface 467
– of zone melting recrystallization process 201
Superconductivity materials, high T_c
– bulk
–– of BSCCO 380
–– of NdBCO 73
Surface energy, determination
– of lysozyme 150, 159
Surface structure
– of lysozyme 150, 159
– of polar faces 194

Thin film growth, epitaxy
– by gas source molecular beam epitaxy
–– of lead calcium strontium sulphate 104
–– of manganese antimonide 218
– by liquid phase epitaxy
–– of gallium nitride 1
–– of indium gallium arsenide phosphide 285
–– of silicon 62
– by metalorganic molecular beam epitaxy
–– of gallium arsenide 589
– by molecular beam epitaxy
–– of aluminum gallium indium arsenide 14
–– of gallium arsenide antimonide 5
–– of gallium indium arsenide 14
–– of gallium nitride 1, 260
–– of indium gallium arsenide 266, 307
–– of indium gallium arsenide phosphide 266
–– of indium phosphide 266, 307
– by vapor phase epitaxy
–– through chemical vapor deposition
––– of copper indium selenide 97
––– of diamond 402
––– of silicon 343
–– through evaporation and condensation
––– of titanium on magnesium oxide 109
–– through metalorganic chemical vapor deposition
––– of aluminum gallium arsenide 302
––– of cadmium telluride 330
––– of cadmium zinc selenide 57
––– of gallium arsenide 27, 210
––– of gallium antimonide 210
––– of gallium arsenide antimonide 210
––– of gallium antimonide 210
––– of gallium arsenide antimonide 210
––– of gallium indium arsenide antimonide 321
––– of gallium nitride 237, 244, 249
––– of indium aluminum arsenide 315
––– of mercury telluride 386
––– of zinc selenide 57
––– of zinc sulphide 277
–– through micro wave glow discharge
––– of gallium sulphate 51

Vapor growth technique
– by chemical transport
–– of manganese zinc sulphide 222
– by electron beam evaporation
–– of platinum silicide 393
– by evaporation and condensation
–– of silicon carbide 408